			97
	Application No.	Applicant(s)	
	10/697,972	PATEL ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Marc E. Norman	3744	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. A This communication is responsive to amendment filed 4 Au	<u>ıgust 2004</u> .		
2. The allowed claim(s) is/are <u>1-3,5,9-11,18,19,24,25,27,30,3</u>	<u>1,33-36 and 38-42</u> .		
3. Mathematical The drawings filed on 31 October 2003 are accepted by the	e Examiner.		
 4.			
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendr	te	

Application/Control Number: 10/697,972

Art Unit: 3744

REASONS FOR ALLOWANCE

Claims 1-3, 5, 9-11, 18, 19, 24, 25, 27, 30, 31, 33-36, and 38-42 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art does not teach the subject matter of independent claims 1, 18, 30, and 39, as amended. In particular, the prior art does not teach detecting a level of operation of the heat exchanger, communicating the level of operation to a controller of the air conditioning unit, and controlling the capacity of the variable speed compressor to vary the temperature of the cooling fluid in response to a the communicated level of operation of the heat exchanger unit.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc E. Norman whose telephone number is 703-305-2711. The examiner can normally be reached on Mon.-Fri., 8:00-5:30, with first Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Denise Esquivel can be reached on 703-308-2597. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/697,972 Page 3

Art Unit: 3744

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MN

MARC NORMAN BRIMARY EXAMINER